

WSG B2B Web Service Tutorial WSG Information Services

Version	7
Issue date	12.07.2017
Replaces version	6
Valid from	15.08.2017
Valid until	recalled or replaced by new version
Classification	Technical Support Documentation
Status	released

Contents

1	Introduction.....	4
1.1	Purpose	4
1.2	Target readership, requirements of the reader.....	4
1.3	Referenced documents	4
	WSG Information Services.....	5
1.4	Endpoints	5
1.5	Process Overview	5
1.6	Create Report.....	6
1.7	ListReport	6
1.8	getReport.....	7
1.9	uploadFile.....	9
1.10	listFiles.....	11
1.11	downloadFiles	12
2	Notification (Tracking).....	19
2.1	Notification handling	19
2.2	Subscribe to Notifications	20
2.3	Notification Web Service	22
3	Appendix A: Notifications created for “Create Report”	26
3.1	Request	26
3.2	Response	26

Checklist of changes

Version	Date	Changed by	Comments / nature of the change
1	23.07.2011	Roland Staub	- Initial version
2	25.10.2013	Roland Staub	- Updated to V2
3	06.11.2013	Roland Staub	- Updated after Review Feedback
4	06.02.2014	Roland Staub	- Updated with Notification Version v15
5	06.02.2014	Roland Staub	- Updated with actual Notification Version
6	22.05.2015	Roland Staub	- Updated with actual Notification Version
6	29.10.2015	Roland Staub	- Added classification
7	12.07.2017	Roland Staub	- Updated for Aug17 Release
			-

Release

int.Version	Date	Released by	Comments / nature of the change
1	25.07.2013	H.Künzi	Released for WSG-9.5 (Aug 2013)
3	07.11.2013	H.Künzi	Released for WSG-9.6 (Nov 2013)
4	10.02.2014	H.Künzi	Released for WSG-9.7 (Feb.2014)
5	04.11.2014	H.Künzi	Released for WSG-9.10 (Nov.2014)
7	17.07.2017	H.Künzi	Released for WSG-08.17 (Aug17)

1 Introduction

1.1 Purpose

This document provides information on how to integrate an WSG Info Services system using the Web services offered by WSG. The following services are covered with examples:

- Reports
- PartnerExchange
- Notification

1.2 Target readership, requirements of the reader

This document addresses architects and developers of client applications using the services mentioned above. Knowledge of Web service technology, the WSG system and the COPA ordering process are needed.

1.3 Referenced documents

- [1] WSG Model Notification - WEB Outbound (v19.0.1), wsgNotification_v19.0.1.zip
- [2] WSG Information Services V2.0.0 wsgInfoSrv_V3.0.0.zip
- [3] WSG Messages (WSG_MessagesV**.pdf, ** represents latest version)

2 WSG Information Services

2.1 Endpoints


The following endpoints shall be used for WSG Information Services

Platform	URL
Production	https://webservices.swisscom.com/wsg/prod/infosrv/WsgInfoSrvV004
Test	https://webservices.swisscom.com/wsg/isp/infosrv/WsgInfoSrvV004

2.2 Process Overview

The following picture shows the interactions between the WSG Information Services system and WSG:

- 1 Create Reaport**
COPA/: Report is requested in WSG.
WSG: WSG confirms the receipt of the Objec and returns the reportID
- 2 Create Reaport**
COPA/: Report is requested in WSG.
WSG: WSG confirms the receipt of the Objec and returns the reportID
- 3 File Upload**
ISP/COPA/PARTNER: An file object is sent to WSG.
WSG: WSG confirms the receipt of the Object.
- 4 File Download**
ISP: An file can be received from WSG.
WSG: WSG confirms the receipt of the Object.
- 5 Notifications**
ISP/COPA/PARTNER: The ISP/COPA/ PARTNERcan retrieve notifications about the progress of the order processing for which he has subscribed.
WSG: The notifications that were created during the processing of the order are returned.



2.3 Create Report

The creat report delivers the capabilities to request for a given tax Region / device Location a defined Report.

The following example shows a qualification for a given Address (**createReport**).

2.3.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
  <soapenv:Header>
    <wsse:Security soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next "
      soapenv:mustUnderstand="0" xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
        wssecurity-secext-1.0.xsd">
      <wsse:UsernameToken>
        <wsse:Username>theUserName</wsse:Username>
        <wsse:Password>thePassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <v04:createReportRequest>
      <v04:ispCopaId>477710</v04:ispCopaId>
      <v04:reportType>1</v04:reportType>
      <v04:centralOffice>
        <v04:taxRegion>640</v04:taxRegion>
        <v04:bbDeviceLocation>BOL</v04:bbDeviceLocation>
      </v04:centralOffice>
      <v04:onlyActiveLines>false</v04:onlyActiveLines>
    </v04:createReportRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

2.3.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
  <soapenv:Body>
    <v04:createReportResponse xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
      <v04:success>true</v04:success>
      <v04:reportId>10952</v04:reportId>
    </v04:createReportResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

2.4 ListReport

The listReport enables to list/search Reports requested by a defined isp/copa.

2.4.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
  <soapenv:Header>
    <wsse:Security soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next "
      soapenv:mustUnderstand="0" xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
        wssecurity-secext-1.0.xsd">
      <wsse:UsernameToken>
        <wsse:Username>theUserName</wsse:Username>
        <wsse:Password>thePassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <v04:listReportRequest>
      <v04:ispCopaId>477710</v04:ispCopaId>
      <v04:reportType>1</v04:reportType>
      <v04:centralOffice>
        <v04:taxRegion>640</v04:taxRegion>
        <v04:bbDeviceLocation>BOL</v04:bbDeviceLocation>
      </v04:centralOffice>
      <v04:onlyActiveLines>false</v04:onlyActiveLines>
    </v04:listReportRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

```

</wsse:Security>
</soapenv:Header>
<soapenv:Body>
  <v04:listReportsRequest>
    <v04:ispCopaId>477710</v04:ispCopaId>
    <v04:centralOffice>
      <v04:taxRegion>640</v04:taxRegion>
      <v04:bbDeviceLocation>BOL</v04:bbDeviceLocation>
    </v04:centralOffice>
    <v04:reportType>1</v04:reportType>
  </v04:listReportsRequest>
</soapenv:Body>
</soapenv:Envelope>

```

2.4.2 Response

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Body>
    <v04:listReportsResponse xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
      <v04:success>true</v04:success>
      <v04:report>
        <v04:reportId>10952</v04:reportId>
        <v04:reportType>1</v04:reportType>
        <v04:numberOfParts>1</v04:numberOfParts>
        <v04:centralOffice>
          <v04:taxRegion>640</v04:taxRegion>
          <v04:bbDeviceLocation>BOL</v04:bbDeviceLocation>
        </v04:centralOffice>
        <v04:creationDateTime>2015-05-22T14:04:49.000+02:00</v04:creationDateTime>
      </v04:report>
    </v04:listReportsResponse>
  </soapenv:Body>
</soapenv:Envelope>

```

2.4.3 GUI

List Report								
Back		Refresh						
Download	Report Id	Report Type	Number of Parts	Tax Region	BB Device Location	Object State	Object Step	Creation Date/Time
Part 1	10952	OmdfXmdf	1	640	BOL	COMPLETED	processingSuccess	22.05.2015 14:04:49

2.5 getReport

Get Report is used to download a previous created Report, or just download it in case of a umsaFiber Report. Please take in account that a creation of a report can take time as it is generated asynchronously. Once a report is created a notification is created. A Report can have multiple parts, in case the row number exceeds the defined threshold for a single part of a report

2.5.1 Request

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
  <soapenv:Header>

```

```
<wsse:Security soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next"
soapenv:mustUnderstand="0" xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-secext-1.0.xsd">
  <wsse:UsernameToken>
    <wsse:Username>theUsername</wsse:Username>
    <wsse:Password>thePassword</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>
</soapenv:Header>
<soapenv:Body>
  <v04:getReportRequest>
    <v04:ispCopaId>477710</v04:ispCopaId>
    <v04:reportId>10952</v04:reportId>
    <v04:partNumber>1</v04:partNumber>
  </v04:getReportRequest>
</soapenv:Body>
</soapenv:Envelope>
```

2.5.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Body>
    <v04:getReportResponse xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
      <v04:success>true</v04:success>
      <v04:report>
        <v04:reportId>10952</v04:reportId>
        <v04:partNumber>1</v04:partNumber>
        <v01:reportOmdfXmdf
xmlns:v01="http://www.swisscom.com/wsg/infoSrv/reportOmdfXmdf/v01">
          <v01:ispCopaId>477710</v01:ispCopaId>
          <v01:centralOffice>
            <v01:taxRegion>640</v01:taxRegion>
            <v01:bbDeviceLocation>BOL</v01:bbDeviceLocation>
          </v01:centralOffice>
          <v01:creationDateTime>2015-05-22T14:04:49.089+02:00</v01:creationDateTime>
          <v01:row>
            <v01:omdfXmdfRelation>OmdfRelation</v01:omdfXmdfRelation>
            <v01:omdfName>Omdf1</v01:omdfName>
            <v01:xmdfName>Xmdf1</v01:xmdfName>
            <v01:breakoutCable>cooperationCable</v01:breakoutCable>
            <v01:cableStatus>cableStatus</v01:cableStatus>
            <v01:relationStatus>relationStatus</v01:relationStatus>
            <v01:lodgerId>477710</v01:lodgerId>
          </v01:row>
          <v01:row>
            <v01:omdfXmdfRelation>OmdfRelation2</v01:omdfXmdfRelation>
            <v01:omdfName>Omdf2</v01:omdfName>
            <v01:xmdfName>Xmdf2</v01:xmdfName>
            <v01:breakoutCable>cooperationCable2</v01:breakoutCable>
            <v01:cableStatus>cableStatus</v01:cableStatus>
            <v01:relationStatus>relationStatus</v01:relationStatus>
            <v01:lodgerId>477710</v01:lodgerId>
          </v01:row>
          <v01:row>
            <v01:omdfXmdfRelation>OmdfRelation</v01:omdfXmdfRelation>
            <v01:omdfName>Omdf1</v01:omdfName>
            <v01:xmdfName>Xmdf1</v01:xmdfName>
            <v01:breakoutCable>cooperationCable</v01:breakoutCable>
            <v01:cableStatus>cableStatus</v01:cableStatus>
            <v01:relationStatus>relationStatus</v01:relationStatus>
            <v01:lodgerId>477710</v01:lodgerId>
          </v01:row>
          <v01:row>
            <v01:omdfXmdfRelation>OmdfRelation2</v01:omdfXmdfRelation>
```



```

        <v01:omdfName>Omdf2</v01:omdfName>
        <v01:xmdfName>Xmdf2</v01:xmdfName>
        <v01:breakoutCable>cooperationCable2</v01:breakoutCable>
        <v01:cableStatus>cableStatus</v01:cableStatus>
        <v01:relationStatus>relationStatus</v01:relationStatus>
        <v01:lodgerId>477710</v01:lodgerId>
    </v01:row>
</v01:reportOmdfXmdf>
</v04:report>
</v04:getReportResponse>
</soapenv:Body>
</soapenv:Envelope>

```

2.6 uploadFile

You may use this operation to upload a defined file to WSG. The file to be uploaded needs to start with the ISP/COPA/PartnerId of you. Note the content is included as binary64. You need to enable MTOM on the client side. In case you use CXF for the integration see: <http://cxf.apache.org/docs/mtom.html> for further informations.

2.6.1 Request

```

-----=_Part_2_647426834.1432305434329
Content-Type: application/xop+xml; charset=UTF-8; type="text/xml"
Content-Transfer-Encoding: 8bit
Content-ID: <rootpart@soapui.org>

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
  <soapenv:Header>
    <wsse:Security soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next"
      soapenv:mustUnderstand="0" xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-secext-1.0.xsd">
      <wsse:UsernameToken>
        <wsse:Username>53728642432</wsse:Username>
        <wsse:Password>Swisscom$1</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <v04:uploadFileRequest>
      <v04:ispCopaId>477710</v04:ispCopaId>
      <v04:fileName>477710_any_file_test.csv</v04:fileName>
      <v04:fileContent xm:contentType="test"
        xmlns:xm="http://www.w3.org/2005/05/xmlmime"><inc:Include href="cid:477710_any_test.csv"
        xmlns:inc="http://www.w3.org/2004/08/xop/include"/></v04:fileContent>
      </v04:uploadFileRequest>
    </soapenv:Body>
  </soapenv:Envelope>
-----=_Part_2_647426834.1432305434329
Content-Type: application/octet-stream; name=477710_any_test.csv
Content-Transfer-Encoding: binary
Content-ID: <477710_any_test.csv>
Content-Disposition: attachment; name="477710_any_test.csv"; filename="477710_any_test.csv"

bla

test

-----=_Part_2_647426834.1432305434329--

```

2.6.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Body>
    <v04:uploadFileResponse xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
      <v04:success>true</v04:success>
      <v04:irIdWsg>10954</v04:irIdWsg>
    </v04:uploadFileResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

2.6.3 GUI

Data Exchange Maintenance						
Back Refresh						
Number of Entries: 1						
	Information Request ID	Object Type	Object State	Object Step	File Name	Transaction Date/Time
Detail	10954	PartnerFileImport	COMPLETED	processingSuccess	477710_any_file_test.csv	22.05.2015 16:37:16

Data Exchange Maintenance

Overview

Information Request ID 10954
Transaction Date/Time 22.05.2015 16:37:16
ISP/COPA Id 477710
Object Type PartnerFileImport
Object State COMPLETED
Activator Order
Initiator PARTNER
Response File Name [477710_any_file_test.csv](#)

History

Object State	Object Step	Transaction Date/Time	Comment
COMPLETED	processingSuccess	22.05.2015 16:37:16	Object transferred to backend system
PROCESSING	processingStart	22.05.2015 16:37:15	Attached import file
PROCESSING	processingStart	22.05.2015 16:37:14	

[Back](#)

[Refresh](#)

2.7 listFiles

The list operation enables you to search/list files which were uploaded by you or offered to you.

2.7.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
  <soapenv:Header>
    <wsse:Security soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next"
      soapenv:mustUnderstand="0" xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-secext-1.0.xsd">
      <wsse:UsernameToken>
        <wsse:Username>theUsername</wsse:Username>
        <wsse:Password>thePassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <v04:listFilesRequest>
      <v04:ispCopaId>477710</v04:ispCopaId>
      <v04:objectType>8</v04:objectType>
      <v04:irDateTimeFrom>2013-07-23T00:00:00.000+02:00</v04:irDateTimeFrom>
    </v04:listFilesRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

```
</v04:listFilesRequest>
</soapenv:Body>
</soapenv:Envelope>
```

2.7.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Body>
    <v04:listFilesResponse xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
      <v04:success>true</v04:success>
      <v04:fileInformation>
        <v04:irDateTime>2013-07-23T20:55:04.000+02:00</v04:irDateTime>
        <v04:objectStep>12</v04:objectStep>
        <v04:objectState>5</v04:objectState>
        <v04:comment>Object transferred to backend system</v04:comment>
        <v04:irIdWsg>4370</v04:irIdWsg>
        <v04:fileName>477710_any_file_test.csv</v04:fileName>
        <v04:objectType>8</v04:objectType>
        <v04:initiator>5</v04:initiator>
        <v04:activator>1</v04:activator>
      </v04:fileInformation>
    </v04:listFilesResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

2.7.3 GUI

Data Exchange Maintenance

Back

Refresh

Number of Entries: 1

	Information Request ID	Object Type	Object State	Object Step	File Name	Transaction Date/Time
Detail	4370	PartnerFileImport	COMPLETED	processingSuccess	477710_any_file_test.csv	23.07.2013 20:55:04

2.8 downloadFiles

2.8.1.1 Request

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
  <soapenv:Header>
    <wsse:Security soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next"
      soapenv:mustUnderstand="0" xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-secext-1.0.xsd">
      <wsse:UsernameToken>
        <wsse:Username>theUserName</wsse:Username>
        <wsse:Password>thePassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
```

```
<soapenv:Body>
  <v04:downloadFileRequest>
    <v04:ispCopaId>477710</v04:ispCopaId>
    <v04:irIdWsg>4371</v04:irIdWsg>
  </v04:downloadFileRequest>
</soapenv:Body>
</soapenv:Envelope>
```

2.8.2 Response

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Body>
    <v04:downloadFileResponse xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
      <v04:fileInformation>
        <v04:irDateTime>2013-07-23T21:04:53.000+02:00</v04:irDateTime>
        <v04:objectStep>12</v04:objectStep>
        <v04:objectState>5</v04:objectState>
        <v04:comment/>
        <v04:irIdWsg>4371</v04:irIdWsg>
        <v04:fileName>477710_test_upload.txt</v04:fileName>
        <v04:objectType>9</v04:objectType>
        <v04:initiator>2</v04:initiator>
        <v04:activator>1</v04:activator>
      </v04:fileInformation>
      <v04:fileContent>Ymxh</v04:fileContent>
    </v04:downloadFileResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

2.8.3 GUI

Data Exchange Maintenance

Back

Refresh

Number of Entries: 1

	Information Request ID	Object Type	Object State	Object Step	File Name	Transaction Date/Time
Detail	4371	PartnerFileExport	COMPLETED	processingSuccess	477710_test_upload.txt	23.07.2013 21:04:53

Data Exchange Maintenance

Overview

Information Request ID 4371
Transaction Date/Time 23.07.2013 21:04:53
Partner ID 477710
Object Type PartnerFileExport
Object State COMPLETED
Activator Order
Initiator SCS
Response File Name 477710_test_upload.txt

History

Object State	Object Step	Transaction Date/Time	Comment
COMPLETED	processingSuccess	23.07.2013 21:04:53	
PROCESSING	processingStart	23.07.2013 21:04:53	Attached download file for Partner
PROCESSING	processingStart	23.07.2013 21:04:53	

[Back](#)

[Refresh](#)

2.8.4 Notifications

During the whole processing, the orders can be tracked by retrieving notifications from the Notification Service. The usage/configuration of the notification service is documented in Chapter 3 Notification (Tracking).

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
```

```

  <soapenv:Body>
    <v19:getNotificationResponse xmlns:v19="http://www.swisscom.com/wsg/notification/v19">
      <v19:response>
        <v19:success>true</v19:success>
        <v19:limitReached>>false</v19:limitReached>
        <v19:notification>
          <v19:notificationId>82178642</v19:notificationId>
          <v19:notificationDateTime>2015-05-22T11:31:33.000+02:00</v19:notificationDateTime>
          <v19:notificationEvent>2</v19:notificationEvent>
          <v19:object>8</v19:object>
          <v19:objectType>3</v19:objectType>
          <v19:initiator>4</v19:initiator>
        </v19:notification>
      </v19:response>
    </v19:getNotificationResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

```

<v19:activator>1</v19:activator>
<v19:objectState>1</v19:objectState>
<v19:objectStep>15</v19:objectStep>
<v19:informationRequest>
  <v19:irIdWsg>10950</v19:irIdWsg>
  <v19:fileName>477710_OTO_A_20141015-041417.csv</v19:fileName>
  <v19:numberOfParts>0</v19:numberOfParts>
</v19:informationRequest>
</v19:notification>
<v19:notification>
  <v19:notificationId>82178643</v19:notificationId>
  <v19:notificationDateTime>2015-05-22T11:54:04.000+02:00</v19:notificationDateTime>
  <v19:notificationEvent>2</v19:notificationEvent>
  <v19:object>8</v19:object>
  <v19:objectType>4</v19:objectType>
  <v19:initiator>2</v19:initiator>
  <v19:activator>1</v19:activator>
  <v19:objectState>1</v19:objectState>
  <v19:objectStep>17</v19:objectStep>
  <v19:informationRequest>
    <v19:irIdWsg>10951</v19:irIdWsg>
    <v19:fileName>477710_SP_A_2012-01_B16.1_20122009-120059.csv</v19:fileName>
    <v19:numberOfParts>0</v19:numberOfParts>
  </v19:informationRequest>
</v19:notification>
<v19:notification>
  <v19:notificationId>82178644</v19:notificationId>
  <v19:notificationDateTime>2015-05-22T11:54:05.000+02:00</v19:notificationDateTime>
  <v19:notificationEvent>2</v19:notificationEvent>
  <v19:object>8</v19:object>
  <v19:objectType>4</v19:objectType>
  <v19:initiator>2</v19:initiator>
  <v19:activator>1</v19:activator>
  <v19:objectState>3</v19:objectState>
  <v19:objectStep>18</v19:objectStep>
  <v19:informationRequest>
    <v19:irIdWsg>10951</v19:irIdWsg>
    <v19:fileName>477710_SP_A_2012-01_B16.1_20122009-120059.csv</v19:fileName>
    <v19:numberOfParts>0</v19:numberOfParts>
  </v19:informationRequest>
</v19:notification>
<v19:notification>
  <v19:notificationId>82178651</v19:notificationId>
  <v19:notificationDateTime>2015-05-22T14:04:49.000+02:00</v19:notificationDateTime>
  <v19:notificationEvent>2</v19:notificationEvent>
  <v19:object>8</v19:object>
  <v19:objectType>7</v19:objectType>
  <v19:initiator>2</v19:initiator>
  <v19:activator>4</v19:activator>
  <v19:objectState>5</v19:objectState>
  <v19:objectStep>12</v19:objectStep>
  <v19:informationRequest>
    <v19:irIdWsg>10952</v19:irIdWsg>
    <v19:numberOfParts>1</v19:numberOfParts>
  </v19:informationRequest>
</v19:notification>
<v19:notification>
  <v19:notificationId>82178665</v19:notificationId>
  <v19:notificationDateTime>2015-05-22T16:37:16.000+02:00</v19:notificationDateTime>
  <v19:notificationEvent>2</v19:notificationEvent>
  <v19:object>8</v19:object>
  <v19:objectType>8</v19:objectType>
  <v19:initiator>5</v19:initiator>
  <v19:activator>1</v19:activator>
  <v19:objectState>5</v19:objectState>

```

```

        <v19:objectStep>12</v19:objectStep>
      <v19:informationRequest>
        <v19:irIdWsg>10954</v19:irIdWsg>
        <v19:fileName>477710_any_file_test.csv</v19:fileName>
        <v19:numberOfParts>0</v19:numberOfParts>
      </v19:informationRequest>
    </v19:notification>
  </v19:response>
</v19:getNotificationResponse>
</soapenv:Body>
</soapenv:Envelope>

```

Appendix A: Notifications created for “Create Report” shows all notifications produced during the processing of the orders above (starting with notificationId 47426434). There may be multiple notifications if you configure to have notified multiple object-states.

2.9 ListMigrationProjects

The migration Projects listed in the WSG Information Service can be listed using the operation listMigrationProjects

2.9.1 Request

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
  <soapenv:Header>
    <wsse:Security soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next"
      soapenv:mustUnderstand="0" xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-secext-1.0.xsd">
      <wsse:UsernameToken>
        <wsse:Username>theUsername</wsse:Username>
        <wsse:Password>thePassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <v04:listMigrationProjectsRequest>
      <v04:ispCopaId>100036</v04:ispCopaId>
    </v04:listMigrationProjectsRequest>
  </soapenv:Body>
</soapenv:Envelope>

```

2.9.2 Response

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Body>
    <v04:listMigrationProjectsResponse xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
      <v04:project>
        <v04:projectId>2</v04:projectId>
        <v04:projectName>CU@Warp</v04:projectName>
        <v04:projectDescription>Increase Reliability

```

* To provide you and your customers with a higher level of reliability, we start installing and activating new transport equipment on a step-by-step basis

* Transport equipment change -> access platform (eap) onto new access platform (warp) </v04:projectDescription>

<v04:projectImpact>These updates will be carried out between 2:00 a.m. and 6:00 a.m.

Connections with PPP termination:

* Each connection will be interrupted for a maximum of 120 minutes

Connections with DHCP termination:

* Each connection will be interrupted for a maximum of 120 minutes

- As a result of this update, each connection will receive a new IP address; additional IP addresses will therefore be required. New IP address ranges can be set up via WSG IP Pool Management.

```

</v04:projectImpact>
  <v04:customerAffected>Many</v04:customerAffected>
  <v04:projectRollout>July 2012 - 2016/2017</v04:projectRollout>
  <v04:migrationReason>Cu@WARP</v04:migrationReason>
  <v04:transactionDateTime>2013-12-02T14:09:51.000+01:00</v04:transactionDateTime>
</v04:project>
<v04:project>
  <v04:projectId>3</v04:projectId>
  <v04:projectName>Vectoring Access Node</v04:projectName>
  <v04:projectDescription>Increase speed towards customer * to provide you and your
customers with higher access speed, we have to exchange the access equipment (ISAM) with
vectoring capable HW. * Access equipment will be swapped with vectoring capable
HW.</v04:projectDescription>
  <v04:projectImpact>The HW-swap will be carried out between 02:00 and 06:00 AM.
Connections with PPP termination * Each connection will be interrupted for a maximum of 30
minutes. Connections with DHCP termination. * Each connection will be interrupted for a maximum
of 30 minutes.</v04:projectImpact>
  <v04:customerAffected>Many</v04:customerAffected>
  <v04:projectRollout>Nov 2013 - Mai 2015</v04:projectRollout>
  <v04:migrationReason>Vectoring AccessNode</v04:migrationReason>
  <v04:transactionDateTime>2017-05-15T13:07:03.000+02:00</v04:transactionDateTime>
</v04:project>
<v04:project>
  <v04:projectId>5</v04:projectId>
  <v04:projectName>FTTS/FTTB_Migration</v04:projectName>
  <v04:projectDescription>To provide you and your customers with higher access speed,
we have to change the access location. Fiber to the Street or Building (FTTS/FTTB) will be
built.</v04:projectDescription>
  <v04:projectImpact>The migration will be carried out usually during office hours on a
dedicated date. Each connection (ULL or BBCS) will be interrupted for a maximum of 4
hours.</v04:projectImpact>
  <v04:customerAffected>Many</v04:customerAffected>
  <v04:projectRollout>June 2014 - 2020</v04:projectRollout>
  <v04:migrationReason>FTTS/B UMSA</v04:migrationReason>
  <v04:transactionDateTime>2014-08-24T00:58:16.000+02:00</v04:transactionDateTime>
</v04:project>
<v04:project>
  <v04:projectId>6</v04:projectId>
  <v04:projectName>FTTS/FTTB_activation</v04:projectName>
  <v04:projectDescription>To provide you and your customers with higher access speed,
after fiber to the Street or Building (FTTS/FTTB) was built, the distances of the copper
connection to the end customer will be shortened.</v04:projectDescription>
  <v04:projectImpact>The shortening will be carried out usually during office hours on
a dedicated date. Each BBCS connection will be interrupted (initial DSLAM start) for about
15min.</v04:projectImpact>
  <v04:customerAffected>Many</v04:customerAffected>
  <v04:projectRollout>June 2014 - 2020</v04:projectRollout>
  <v04:migrationReason>FTTS/B Leitungverkürzung , UMSA mit
Leitungverkürzung</v04:migrationReason>
  <v04:transactionDateTime>2014-08-24T00:58:16.000+02:00</v04:transactionDateTime>
</v04:project>
<v04:project>
  <v04:projectId>7</v04:projectId>
  <v04:projectName>Software Upgrade CAN</v04:projectName>
  <v04:projectDescription>Increase reliability and extend of multicast configuration
possibilities.</v04:projectDescription>
  <v04:projectImpact>These updates will be carried out between 02:00 and 06:00. Each
connection (PPP and DHCP) will be interrupted for a maximum of 30 minutes.</v04:projectImpact>
  <v04:customerAffected>Many</v04:customerAffected>
  <v04:projectRollout>December 2014 - March 2015</v04:projectRollout>

```

```

    <v04:migrationReason>Software Upgrade CAN</v04:migrationReason>
    <v04:transactionDateTime>2014-12-18T11:58:49.000+01:00</v04:transactionDateTime>
  </v04:project>
</v04:project>
  <v04:projectId>8</v04:projectId>
  <v04:projectName>Maintenance - Port Move</v04:projectName>
  <v04:projectDescription>In case of port move, a customer will be moved from a dslam
to another one, normally to a newer generation of dslam. In case of rewiring, it is also the
basic to support vectoring and its speed gain.</v04:projectDescription>
  <v04:projectImpact>The port move will be carried out usually during office hours on a
dedicated date. Each impacted customer will be interrupted for a maximum of 4
hours.</v04:projectImpact>
  <v04:customerAffected>Many</v04:customerAffected>
  <v04:projectRollout>ever</v04:projectRollout>
  <v04:migrationReason>Port Relocation / Rewiring</v04:migrationReason>
  <v04:transactionDateTime>2015-06-06T21:34:16.000+02:00</v04:transactionDateTime>
</v04:project>
</v04:project>
  <v04:projectId>9</v04:projectId>
  <v04:projectName>Maintenance - Shorting (SpectrumManagement)</v04:projectName>
  <v04:projectDescription>To provide you and your customers higher access speeds,
Swisscom builds new broadband location and to comply the spectrum management rules, the access
has to be shorted.</v04:projectDescription>
  <v04:projectImpact>The shorting will be carried out usually during office hours on a
dedicated date. Each impacted customer will be interrupted for a maximum of 4
hours.</v04:projectImpact>
  <v04:customerAffected>Many</v04:customerAffected>
  <v04:projectRollout>ever</v04:projectRollout>
  <v04:migrationReason>Leitungsverkürzung mit
Überführungsrelevanz</v04:migrationReason>
  <v04:transactionDateTime>2015-06-06T21:34:16.000+02:00</v04:transactionDateTime>
</v04:project>
</v04:listMigrationProjectsResponse>
</soapenv:Body>
</soapenv:Envelope>

```

2.10 getMigrationProjectDetail

2.10.1 Request

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
  <soapenv:Header>
    <wsse:Security soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next"
soapenv:mustUnderstand="0" xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-secext-1.0.xsd">
      <wsse:UsernameToken>
        <wsse:Username>theUsername</wsse:Username>
        <wsse:Password>thePassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <v04:getMigrationProjectDetailRequest>
      <v04:ispCopaId>100036</v04:ispCopaId>
      <v04:projectId>2</v04:projectId>
    </v04:getMigrationProjectDetailRequest>
  </soapenv:Body>
</soapenv:Envelope>

```

2.10.2 Response

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">

```

```
<soapenv:Body>
  <v04:getMigrationProjectDetailResponse xmlns:v04="http://www.swisscom.com/wsg/infoSrv/v04">
    <v04:migrationElements>
      <v04:networkElementType>DSLAM Network Element</v04:networkElementType>
      <v04:networkElementName>ipc-gum640-s-vd-04</v04:networkElementName>
      <v04:dnVnNsn>0317511601</v04:dnVnNsn>
      <v04:customerNotificationId>MT_UNTY_10000113651</v04:customerNotificationId>
      <v04:customerNotificationType>CU_WARP_INFO</v04:customerNotificationType>
      <v04:duration>240</v04:duration>
      <v04:transactionDateTime>2015-05-06T07:14:00.000+02:00</v04:transactionDateTime>
    </v04:migrationElements>
    <v04:migrationElements>
      <v04:networkElementType>DSLAM Network Element</v04:networkElementType>
      <v04:networkElementName>ipc-gum640-s-vd-04</v04:networkElementName>
      <v04:dnVnNsn>0317510187</v04:dnVnNsn>
      <v04:customerNotificationId>MT_UNTY_10000113651</v04:customerNotificationId>
      <v04:customerNotificationType>CU_WARP_INFO</v04:customerNotificationType>
      <v04:duration>240</v04:duration>
      <v04:transactionDateTime>2015-05-06T07:14:00.000+02:00</v04:transactionDateTime>
    </v04:migrationElements>
    <v04:migrationElements>
      <v04:networkElementType>DSLAM Network Element</v04:networkElementType>
      <v04:networkElementName>ipc-gum640-s-vd-04</v04:networkElementName>
      <v04:dnVnNsn>0317513102</v04:dnVnNsn>
      <v04:customerNotificationId>MT_UNTY_10000113651</v04:customerNotificationId>
      <v04:customerNotificationType>CU_WARP_INFO</v04:customerNotificationType>
      <v04:duration>240</v04:duration>
      <v04:transactionDateTime>2015-05-06T07:14:00.000+02:00</v04:transactionDateTime>
    </v04:migrationElements>
    <v04:migrationElements>
      <v04:networkElementType>DSLAM Network Element</v04:networkElementType>
      <v04:networkElementName>ipc-gum640-s-vd-04</v04:networkElementName>
      <v04:dnVnNsn>0317510217</v04:dnVnNsn>
      <v04:customerNotificationId>MT_UNTY_10000113651</v04:customerNotificationId>
      <v04:customerNotificationType>CU_WARP_INFO</v04:customerNotificationType>
      <v04:duration>240</v04:duration>
      <v04:transactionDateTime>2015-05-06T07:14:00.000+02:00</v04:transactionDateTime>
    </v04:migrationElements>
    <v04:migrationElements>
      <v04:networkElementType>DSLAM Network Element</v04:networkElementType>
      <v04:networkElementName>ipc-gum640-s-vd-04</v04:networkElementName>
      <v04:dnVnNsn>0317510508</v04:dnVnNsn>
      <v04:customerNotificationId>MT_UNTY_10000113651</v04:customerNotificationId>
      <v04:customerNotificationType>CU_WARP_INFO</v04:customerNotificationType>
      <v04:duration>240</v04:duration>
      <v04:transactionDateTime>2015-05-06T07:14:00.000+02:00</v04:transactionDateTime>
    </v04:migrationElements>
  </v04:getMigrationProjectDetailResponse>
</soapenv:Body>
</soapenv:Envelope>
```

3 Notification (Tracking)

The Notification Service is used to track the processing of Orders and Incidents in CoPa / WSG.

The Notification Service offers the possibility to subscribe to notification messages which are created if a specific event occurs. They can then be retrieved via the Notification Web service and remain on the system for a defined number of days (currently 4 days). The notification messages contain the data that is needed to keep the client system up-to-date with the progress of an order.

3.1 Notification handling

You have the possibilities to restrict the notifications you will get back by defining the input parameters (defined in 3.3.1)

The elements you can use to restrict the response are listed below

Element	Type	Occ	Comment
object	xs:int (totalDigits: 3)	0..n	[LOV-ID: 1101] The object that triggered the notification, e.g. BBCS-Order, InformationRequest
initiator	xs:int (totalDigits: 3)	0..n	[LOV-ID: 1106] The initiator of the object
notificationIdFrom	xs:decimal (totalDigits: 15)	1..1	A notification ID.
notificationIdTo	xs:decimal (totalDigits: 15)	0..1	A notification ID.

Objects relevant for the COPA usecases are defined as :

Object (subset of LOV 1101)

Id	Description / meaning
8	Information Request (relevant for the this UseCases)

Initiator (subset of LOV 1106)

Id	Description / meaning
2	SCS
4	COPA

Depending on those elements /values you will get only notifications wich are e.g. related to COPA Orders and are initiated by COPA. If you do not fill out those elements you will get all the possible notifications.

NotificationIdFrom/To

Each notification has it's own id. A notification defined by its id is e.g. a state change of a defined order from PROCESSING to COMPLETE .

The webservice "only" returns 500 elements (notifications). If you ask NotificationFrom=1 then it gets you the next 500 elements assigned to this dedicated COPA. The sequence is systemwide (!) so there can be that you get the id 501 and the next would be 1056.

So the most simple way is to start with the id notificationIdFrom=1 and not filling you the notificationIdTo.

With this you will get up the next (up to) 500 notification assigned to you. If you have processed those you can use the next call of the webservice starting with the notificationIdFrom=(maxValue of the notificationid of the response +1)

In the response (see 3.3.2) the limitReached is true if the webservice could only return 500 elements and there would be more elements assigned to this COPA with a higher id. The limit is set to 500, this means that you will receive up to 500 notification elemetns.

In case of false, you got all notifications assigned to this COPA withing the response.

3.2 Subscribe to Notifications

Changes to the following objects can be notified for the COPA Services:

- CustomerReport
- PartnerFileExchange
- FiberUmsa

The notifications can be subscribed to in the administration of the corresponding service, in the WSG Info Services GUI as shown on the next screen shots:

Service Settings

ispCopald

Customer Report Notification | Customer Report Email | Partner Exchange Notification | Partner Exchange Email

Notify on entering state

Object Type	Initiator	Activator	Object State	Object Step	Event	Comment	Notification	E-Mail
CustomerReport			COMPLETED	processingSuccess	Order Notification	Completed	☒	☐
			ENTERED		Order Notification	Entered	☒	☐
			COMPLETED		Order Notification	Completed	☒	☐
			ABORTED		Order Notification	Aborted	☒	☐

Service Settings

ispCopald

Customer Report Notification | Customer Report Email | Partner Exchange Notification | Partner Exchange Email

Notify on entering state

Object Type	Initiator	Activator	Object State	Object Step	Event	Comment	Notification	E-Mail
PartnerFileImport			COMPLETED	processingSuccess	Order Notification	Completed	☒	☐
PartnerFileExport			COMPLETED	processingSuccess	Order Notification	Completed	☒	☐
			ENTERED		Order Notification	Entered	☒	☐
			COMPLETED		Order Notification	Completed	☒	☐
			ABORTED		Order Notification	Aborted	☒	☐


PleaseNote: a FiberUmsa Report is represented as CustomerReport for subscribing a notification.

3.3 Notification Web Service

The Notification Web service is used to retrieve the notifications created based on the subscriptions to the different objects that can be notified.

For a detailed interface definition see [1]

3.3.1 Request




The typical usage is to periodically poll for all new notifications for a specific COPA. This can be achieved by calling the getNotification() operation with the "ispld" of the COPAid and the "notificationIdFrom" set to the maximum value received on the previous call + 1 (boundaries are included in the selection). It is also possible to additionally filter the notifications by object which is useful if the states of the different objects are tracked by different client processes.

A sample XML for the getNotification() request:


```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next"
      soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>TheUserName</wsse:Username>
        <wsse:Password>ThePassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <v19:getNotification xmlns:v19="http://www.swisscom.com/wsg/notification/v19">
      <v19:request>
        <v19:ispld>477710</v19:ispld>
        <v19:object>8</v19:object>
        <v19:notificationIdFrom>82178640</v19:notificationIdFrom>
      </v19:request>
    </v19:getNotification>
  </soapenv:Body>
</soapenv:Envelope>
```

3.3.2 Response



The response contains the “success” flag which indicates whether the operation succeeded or failed. In case of failure the “reason” and “reasonComment” offer additional information about the problem that occurred. The payload consists of a flag “limitReached” and a list of “notifications”. If the flag “limitReached” is true then there are more notifications available and it is good practice to repeat the retrieval of notifications immediately until the flag is “false” instead of waiting for the next interval.

The notifications contain the fields that are common for all types of notifications and data structures that are populated depending on the object. The following picture shows the structure of a notification for a “CoPaOrder” order:



Common notification fields

Object specific fields

A sample XML for the `getNotification()` response:

```
<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Body>
    <v19:getNotificationResponse xmlns:v19="http://www.swisscom.com/wsg/notification/v19">
      <v19:response>
        <v19:success>true</v19:success>
        <v19:limitReached>false</v19:limitReached>
        <v19:notification>
          <v19:notificationId>82178642</v19:notificationId>
          <v19:notificationDateTime>2015-05-22T11:31:33.000+02:00</v19:notificationDateTime>
          <v19:notificationEvent>2</v19:notificationEvent>
          <v19:object>8</v19:object>
          <v19:objectType>3</v19:objectType>
          <v19:initiator>4</v19:initiator>
          <v19:activator>1</v19:activator>
          <v19:objectState>1</v19:objectState>
          <v19:objectStep>15</v19:objectStep>
          <v19:informationRequest>
            <v19:irIdWsg>10950</v19:irIdWsg>
            <v19:fileName>477710_OTO_A_20141015-041417.csv</v19:fileName>
            <v19:numberOfParts>0</v19:numberOfParts>
          </v19:informationRequest>
        </v19:notification>
        <v19:notification>
          <v19:notificationId>82178643</v19:notificationId>
          <v19:notificationDateTime>2015-05-22T11:54:04.000+02:00</v19:notificationDateTime>
          <v19:notificationEvent>2</v19:notificationEvent>
          <v19:object>8</v19:object>
          <v19:objectType>4</v19:objectType>
          <v19:initiator>2</v19:initiator>
          <v19:activator>1</v19:activator>
          <v19:objectState>1</v19:objectState>
          <v19:objectStep>17</v19:objectStep>
          <v19:informationRequest>
            <v19:irIdWsg>10951</v19:irIdWsg>
            <v19:fileName>477710_SP_A_2012-01_B16.1_20122009-120059.csv</v19:fileName>
            <v19:numberOfParts>0</v19:numberOfParts>
          </v19:informationRequest>
        </v19:notification>
        <v19:notification>
          <v19:notificationId>82178644</v19:notificationId>
          <v19:notificationDateTime>2015-05-22T11:54:05.000+02:00</v19:notificationDateTime>
          <v19:notificationEvent>2</v19:notificationEvent>
          <v19:object>8</v19:object>
          <v19:objectType>4</v19:objectType>
          <v19:initiator>2</v19:initiator>
          <v19:activator>1</v19:activator>
          <v19:objectState>3</v19:objectState>
          <v19:objectStep>18</v19:objectStep>
          <v19:informationRequest>
            <v19:irIdWsg>10951</v19:irIdWsg>
            <v19:fileName>477710_SP_A_2012-01_B16.1_20122009-120059.csv</v19:fileName>
            <v19:numberOfParts>0</v19:numberOfParts>
          </v19:informationRequest>
        </v19:notification>
        <v19:notification>
          <v19:notificationId>82178651</v19:notificationId>
          <v19:notificationDateTime>2015-05-22T14:04:49.000+02:00</v19:notificationDateTime>
          <v19:notificationEvent>2</v19:notificationEvent>
          <v19:object>8</v19:object>
          <v19:objectType>7</v19:objectType>
        </v19:notification>
      </v19:response>
    </v19:getNotificationResponse>
  </soapenv:Body>
</soapenv:Envelope>
```

```

        <v19:informationRequest>
          <v19:irIdWsg>10952</v19:irIdWsg>
          <v19:numberOfParts>1</v19:numberOfParts>
        </v19:informationRequest>
      </v19:notification>
    <v19:notification>
      <v19:notificationId>82178665</v19:notificationId>
      <v19:notificationDateTime>2015-05-22T16:37:16.000+02:00</v19:notificationDateTime>
      <v19:notificationEvent>2</v19:notificationEvent>
      <v19:object>8</v19:object>
      <v19:objectType>8</v19:objectType>
      <v19:initiator>5</v19:initiator>
      <v19:activator>1</v19:activator>
      <v19:objectState>5</v19:objectState>
      <v19:objectStep>12</v19:objectStep>
      <v19:informationRequest>
        <v19:irIdWsg>10954</v19:irIdWsg>
        <v19:fileName>477710_any_file_test.csv</v19:fileName>
        <v19:numberOfParts>0</v19:numberOfParts>
      </v19:informationRequest>
    </v19:notification>
  </v19:response>
</v19:getNotificationResponse>
</soapenv:Body>
</soapenv:Envelope>

```

4 Appendix A: Notifications created for "Create Report"

4.1 Request

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Header>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-secext-1.0.xsd" soapenv:actor="http://schemas.xmlsoap.org/soap/actor/next "
soapenv:mustUnderstand="0">
      <wsse:UsernameToken>
        <wsse:Username>TheUserName</wsse:Username>
        <wsse:Password>ThePassword</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </soapenv:Header>
  <soapenv:Body>
    <v19:getNotification xmlns:v19="http://www.swisscom.com/wsg/notification/v19">
      <v19:request>
        <v19:ispId>477710</v19:ispId>
        <v19:object>8</v19:object>
        <v19:notificationIdFrom>82178640</v19:notificationIdFrom>
      </v19:request>
    </v19:getNotification>
  </soapenv:Body>
</soapenv:Envelope>

```

4.2 Response

```

<?xml version="1.0" encoding="UTF-8"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/">
  <soapenv:Body>
    <v19:getNotificationResponse xmlns:v19="http://www.swisscom.com/wsg/notification/v19">
      <v19:response>

```

```

<v19:success>true</v19:success>
<v19:limitReached>>false</v19:limitReached>
<v19:notification>
  <v19:notificationId>82178642</v19:notificationId>
  <v19:notificationDateTime>2015-05-22T11:31:33.000+02:00</v19:notificationDateTime>
  <v19:notificationEvent>2</v19:notificationEvent>
  <v19:object>8</v19:object>
  <v19:objectType>3</v19:objectType>
  <v19:initiator>4</v19:initiator>
  <v19:activator>1</v19:activator>
  <v19:objectState>1</v19:objectState>
  <v19:objectStep>15</v19:objectStep>
  <v19:informationRequest>
    <v19:irIdWsg>10950</v19:irIdWsg>
    <v19:fileName>477710_OTO_A_20141015-041417.csv</v19:fileName>
    <v19:numberOfParts>0</v19:numberOfParts>
  </v19:informationRequest>
</v19:notification>
<v19:notification>
  <v19:notificationId>82178643</v19:notificationId>
  <v19:notificationDateTime>2015-05-22T11:54:04.000+02:00</v19:notificationDateTime>
  <v19:notificationEvent>2</v19:notificationEvent>
  <v19:object>8</v19:object>
  <v19:objectType>4</v19:objectType>
  <v19:initiator>2</v19:initiator>
  <v19:activator>1</v19:activator>
  <v19:objectState>1</v19:objectState>
  <v19:objectStep>17</v19:objectStep>
  <v19:informationRequest>
    <v19:irIdWsg>10951</v19:irIdWsg>
    <v19:fileName>477710_SP_A_2012-01_B16.1_20122009-120059.csv</v19:fileName>
    <v19:numberOfParts>0</v19:numberOfParts>
  </v19:informationRequest>
</v19:notification>
<v19:notification>
  <v19:notificationId>82178644</v19:notificationId>
  <v19:notificationDateTime>2015-05-22T11:54:05.000+02:00</v19:notificationDateTime>
  <v19:notificationEvent>2</v19:notificationEvent>
  <v19:object>8</v19:object>
  <v19:objectType>4</v19:objectType>
  <v19:initiator>2</v19:initiator>
  <v19:activator>1</v19:activator>
  <v19:objectState>3</v19:objectState>
  <v19:objectStep>18</v19:objectStep>
  <v19:informationRequest>
    <v19:irIdWsg>10951</v19:irIdWsg>
    <v19:fileName>477710_SP_A_2012-01_B16.1_20122009-120059.csv</v19:fileName>
    <v19:numberOfParts>0</v19:numberOfParts>
  </v19:informationRequest>
</v19:notification>
<v19:notification>
  <v19:notificationId>82178651</v19:notificationId>
  <v19:notificationDateTime>2015-05-22T14:04:49.000+02:00</v19:notificationDateTime>
  <v19:notificationEvent>2</v19:notificationEvent>
  <v19:object>8</v19:object>
  <v19:objectType>7</v19:objectType>
  <v19:initiator>2</v19:initiator>
  <v19:activator>4</v19:activator>
  <v19:objectState>5</v19:objectState>
  <v19:objectStep>12</v19:objectStep>
  <v19:informationRequest>
    <v19:irIdWsg>10952</v19:irIdWsg>
    <v19:numberOfParts>1</v19:numberOfParts>
  </v19:informationRequest>
</v19:notification>

```

```
<v19:notification>
  <v19:notificationId>82178665</v19:notificationId>
  <v19:notificationDateTime>2015-05-22T16:37:16.000+02:00</v19:notificationDateTime>
  <v19:notificationEvent>2</v19:notificationEvent>
  <v19:object>8</v19:object>
  <v19:objectType>8</v19:objectType>
  <v19:initiator>5</v19:initiator>
  <v19:activator>1</v19:activator>
  <v19:objectState>5</v19:objectState>
  <v19:objectStep>12</v19:objectStep>
  <v19:informationRequest>
    <v19:irIdWsg>10954</v19:irIdWsg>
    <v19:fileName>477710 any file test.csv</v19:fileName>
    <v19:numberOfParts>0</v19:numberOfParts>
  </v19:informationRequest>
</v19:notification>
</v19:response>
</v19:getNotificationResponse>
</soapenv:Body>
</soapenv:Envelope>
```